



TeX
MDDA T-40
29/6/17

रक्षा मंत्रालय
MINISTRY OF DEFENCE

संयुक्त सेवा स्पेसिफिकेशन
JOINT SERVICES SPECIFICATION

ON

Gloves, leather, white, lined

JSS : 8415-09 : 2000
(Revision No. 2)

मानकीकरण निदेशालय
रक्षा उत्पादन विभाग रक्षा मंत्रालय,
'एच' ब्लॉक, निर्माण भवन-डाकघर
नई दिल्ली - 110 011

DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION
MINISTRY OF DEFENCE, 'H' BLOCK,
NIRMAN BHAVAN P.O.,
NEW DELHI - 110 011

कम सं 1971/ 23/समन्वय मानकी
दि-नं 3.1.8-260 के अनुसार रखा
मंत्रालय द्वारा जन गे.पन SSSC
Approved by Ministry of Defence
JSS 8415-09:2000
Coord/Sid dated

JSS 8415-09:2000
(Revision No.2)

हस चौधरी
Asstt. Director
राष्ट्रीय मानकीकरण विभाग
Directorate of Standardisation
रक्षा मंत्रालय, नई दिल्ली
Min of Defence New

RAKSHA MANTRALAYA
MINISTRY OF DEFENCE

JOINT SERVICES SPECIFICATION

ON

GLOVES, LEATHER, WHITE, LINED

(DS Cat No. 8415-000 176 to 000 178)

MANAKIKARAN NIDESHALAYA
RAKSHA UTPADAN AVAM POORTI VIBHAG
RAKSHA MANTRALAYA
'H' BLOCK, DHQ PO
NEW DELHI - 110 011

DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION AND SUPPLIES
MINISTRY OF DEFENCE
'H' BLOCK, DHQ PO
NEW DELHI - 110 011

(1)

JSS 8415-09:2000 :
(Revision No.2)

LIST OF MEMBERS ASSOCIATED WITH THE REVISION
OF THIS STANDARD

The revision of Joint Services Specification has been approved by Air Cmde SM Taxali, Chairman, Stores Standardisation Sub Committee by circulation .

2. The following members have been associated in approving the draft:-

Sl. No.	Name and Designation	Organisation
1	Gp Capt A. Chaudhuri, VSM	- JDQAS(Aero)/ Air HQ
2	Lt Col SD Pandey, Deputy Director	- DQA(S)
3	Sh J.C. Makani, PScO, Deputy Controller	- CQA(GS)
4	Lt Col A.S Bajwa, Deputy Controller	- CQA(T&C)
5	Sh A.A. Khan, PScO, Deputy Controller	- CQA(M)
6	Sh Devki Nandan, SSO I, Asstt, Controller	- CQA(PP)
7	Sh S.V. Mehrotra, STA	- DQA(N)
8	Sh M.C. Sharma, Asstt, Director	- DGAQA
9	Sh Pankaj Chawla	- DGAQA
10	Lt Col GS Waraich, Ord.Dte. - (CP Cell)	- MGO Br/Army HQ
11	Subedar S.K. Biswas, Stdn, Cell (Army)	- MGO Br/Army HQ
12	Wg Cdr Chaturvedi, Deputy Director	- Dte of Stores/ Air HQ
13	Lt Cdr Pradeep Kumar, Deputy Director	- NHQ/DNA
14	Sh V.P.S. Chawla, NSO Deputy Director	- NHQ/DCV
15	Lt A Rana, Asstt Director	- NHQ/DOS(E)
16	Sh S.K. Kureel, Sc 'D'	- DMSRDE
17	Sh Balak Ram, TO(B)	- DMSRDE
18	Sh B.S.Narula, Sc 'C' Secretary	- SSSC

JSS 8415-09:2000
(Revision No.2)

इस चोइसे
आदेश: Director
प्रमाणित निदेशक
अधिकारिता - Standard
प्रमाणित, यह कि
प्रमाणित

CONTENTS

	Page No.
0. FOREWORD	1
1. SCOPE	2
2. RELATED SPECIFICATIONS	2
3. STANDARD PATTERN	4
4. MATERIAL	4
5. MANUFACTURE	6
6. DIMENSIONS	7
7. WORKMANSHIP AND FINISH	7
8. MARKING	7
9. PRE-INSPECTION OF STORES/CONSIGNMENT	7
10. QUALITY ASSURANCE	8
11. SAMPLING	8
12. CRITERIA FOR CONFORMITY	10
13. WARRANTY	10
14. PACKAGING	11
15. DEFENCE STORES CATALOGUE NUMBER	13
16. SUGGESTIONS FOR IMPROVEMENT	13
APPENDICES 'A' & 'B'	14 & 15
DRAWING	16

दस्तावेज नं

Asstt. Director

JSS 8415-09:2000
(Revision No. 2)

3

0. FOREWORD

0.1 This specification has been prepared by the Stores Standardisation Sub Committee on the authority of the Standardisation Committee, Ministry of Defence.

0.2 This specification has been approved by the Ministry of Defence and is mandatory for use by the Defence Services.

0.3 This specification is a revision of JSS 8415-09: 1994 (Revision No. 1) and supersedes the same.

0.4 This specification would be used to guide manufacture, quality assurance and procurement of the items.

0.5 Quality Assurance Authorities for the items covered by this specification are CQA(T&C), Kanpur; DQA(N), New Delhi and JDQAS(Aero), New Delhi for Army, Navy and Air Force respectively. Enquiries regarding this specification, relating to any contractual conditions, shall be addressed to the Quality Assurance Authority named in the tender or contract. Other enquiries shall be referred to :-

The Director,
Directorate of Standardisation,
Ministry of Defence,
'H' Block, DHQ PO,
New Delhi - 110 011.

0.6 Copies of this specification can be obtained on payment from :-

The Controller,
Controllorate of Quality Assurance
(Textiles & Clothing),
Post Box No. 294
Kanpur - 208 001.

0.7 This specification holds good only for the supply order for which it is issued.

JSS 8415-09:2000
(Revision No.2)

दस चौक
आस. Director
राष्ट्रीय विज्ञान
Directorate of Standards
राष्ट्रीय विज्ञान, नई दिल्ली

1. SCOPE

1.1 This specification covers the requirements of Gloves, Leather, White, Lined intended to be used for protection of hands against cold, wind and snow in extreme cold climates. The gloves are made in two separate detachable layers, having three compartments and are used complete with detachable liner.

2. RELATED SPECIFICATIONS

2.1 Reference is made in this specification to :-

✓ IS 187:1978	✓ Cotton long cloth (second revision) ✓ (Amendments 2) ✓ Reaffirmed 1992 ~~2003~~
✓ IS 539:1974	✓ Naphthalene (second revision) ✓ (Amendment 1) ✓ Reaffirmed 1993 ~~2000~~
✓ IS 1095:1991	✓ Handloom cotton dress materials, bleached, dyed, printed, striped, or checked (first revision) RA-2002
✓ IS 1720:1978	✓ Cotton sewing threads (second revision) ✓ Reaffirmed 1991 ~~2002~~
✓ IS 2508:1984	✓ Low density polyethylene films (second revision) ✓ (Amendment ~~1~~ 2) Reaffirmed 1997 ~~2003~~
IS 4905:1968	Methods for random sampling (Amendment 1) ✓ Reaffirmed 1991 ~~2001~~
IS 5866:1979	Chrome leather for high altitude gloves (first revision) ✓ Reaffirmed 1991 ~~2003~~ Amends - 1

दक्षिण
असि. (Director)
असि. (Director)
असि. (Director)

JSS 8415-09:2000
(Revision No.2)

IS 6488:1987 1999	Cotton webbing for personal web equipment (second revision) 3rd Revision Reaffirmed 1992-2004
IS 8156:1994	Fasteners, for consumer goods- synthetic hook and loop tape (second revision) ✓ Reaffirmed 1991-2004
IS 8331:1993	Textiles-angola shirting (first revision), Amals-1 Second
IND/GS/799	Liner waterproof bag
IND/TC/0108	Pile fabric (woven)
IND/TC/0321(h)	Tape cotton white, 6 mm
IND/TC/2284(a)	Press button (titch type), white
JSS 8135-10:1996	Polypropylene strapping, 12 mm wide
CQA(GS)/US/460	Boxes fibreboard rigid corrugated triple wall 7 ply

2.2 Copies of the Indian Standards are obtainable on payment from :-

Bureau of Indian Standards,
Manak Bhavan,
9, Bahadur Shah Zafar Marg,
New Delhi - 110 002

or

their regional/branch offices.

2.3 Copies of JSS 8135-10, IND/GS series of specification and CQA(GS)/US/460 are obtainable on payment from :-

The Controller,
Controllorate of Quality Assurance (General Stores),
Post Box No. 127,
Kanpur - 208 001.

JSS 8415-09;2000
(Revision No.2)

दे स चौ श
Asstt. Director
Directorate of Standards
Kanpur

2.4 Copies of IND/TC series of specification are obtainable on payment from :-

The Controller,
Controllerate of Quality Assurance (Textiles & Clothing),
Post Box No. 294,
Kanpur - 208 001.

3. STANDARD PATTERN

3.1 The standard pattern of Gloves, Leather, White, Lined is held by the Controller, Controllerate of Quality Assurance (Textiles & Clothing), Post Box No.294, Kanpur - 208 001 and shall constitute the standard as regards any particulars or properties not noted/defined in this specification.

4. MATERIAL

4.1 The gloves shall be manufactured from the following materials :-

4.1.1 OUTER

Component	Material	Methods (refer to)
1	2	3
(a) Outer complete with Gussets, cuffs fingers and gauntlet portion	Leather, chrome, sheep/goat, white pigment finish, water-proof	IS 5866
(b) Lining for Index finger, right hand	Shirting Angola drab	IS 8331
(c) Edging tape at top piece of the slit on the Index finger (Right hand)	Selvedge of cambric cotton, white or Long cloth, white	IS 1095 (see note below) IS 187
(d) Snap fastener for closing of slit on the Right hand Index finger	Press button (Titch type), white	IND/TC/2284(a)

द. स. चौ. हरि
 आर्य समाज
 आर्य समाज
 आर्य समाज

JSS 8415-09:2000
 (Revision No.2)

- | | | |
|------------------------------------|---|----------------|
| (e) Straps for adjustment at wrist | Web, cotton, thin, 20 mm, white | IS 6488 |
| (f) Loop for passing the straps | Tape cotton, 6 mm, white | IND/TC/0321(h) |
| (g) Fastner synthetic tape | Hook/loop fastner synthetic tape, 20 mm wide, white | IS 8156 |
| (h) Sewings | Sewing cotton, 165 d tex x 6, white | IS 1720 |

4.1.2 LINER

(a) Inner Lining

- | | | |
|---|---|-------------------|
| i) Body, gusset, cuff, Index finger and Thumb | Cambric cotton white or Long cloth, white | IS 1095
IS 187 |
| ii) Sewings | Sewing cotton 100 d tex x 6, white | IS 1720 |

(b) Outer lining

- | | | |
|------------------------------------|-------------------------------------|-------------|
| i) Outer hand, cuff, thumb | Pile fabric, 6 mm (woven) | IND/TC/0108 |
| ii) Palm side | Pile fabric, 3 mm (woven) | IND/TC/0108 |
| iii) Gussets and left Index finger | Shirting angola drab | IS 8331 |
| iv) Sewings | Sewing cotton, 165 d tex x 6, white | IS 1720 |

Note: The selvedge portion of 'cambric cotton, white' used for the body of the 'inner lining' shall be utilised for the edging tape at the slit of the right Index finger (outer)

१५ नोवंबर
Asst. Director
Ministry of Standards

5. MANUFACTURE

5.1 The gloves shall be made in two separate layers viz, outer layer of white leather and inner layer made from various materials as indicated in clause 4. The inner liner shall also be made in two layers.

5.1.1 Outer layer- The outer layer shall be made from sheep or goat skin white, chrome tanned, treated for water-proofness with aluminium stearate. The gloves shall have three compartments to accommodate thumb, index finger and remaining three fingers in one compartment. The index finger of the right hand shall be provided with a slanting slit fitted with a press button as shown in the drawing attached. Edging tape shall be provided in the top layer of the slit to avoid stretching of leather and wide opening of slit. Gauntlet portion shall be in one piece and secured with the body at wrist with two rows of machine stitching.

5.1.1.1 Side piece (towards the little finger) and the fourchette shall be attached to the glove as shown in the drawing. The palm side of the Index finger shall be lined with 'shirting Angola'. All the components shall be assembled with the type of seams as shown in the drawing. The seams shall be sealed with an approved sealing compound by the Quality Assurance Officer.

5.1.1.2 An adjustment strap of thin web shall be fitted with hook and loop fastener synthetic tape, 20 mm wide. Hook tape fastener of 4 cm length should be stitched on the edge of thin web and loop tape fastener of 7 cm length should be stitched on palm side of web as shown in the drawing.

5.1.2 Liner - Liner shall be made by using the thicker pile fabric on back side and the lighter pile fabric on palm side lined with 'cambric, cotton, white or long cloth white'.

5.1.2.1 The right index finger shall not be made up to the tip but finished at the base of the fingers as shown in the drawing attached. The left Index finger shall be made from 'shirting angola'. The liner shall be assembled with the type of seams as shown in the drawing attached.

5.1.2.2 The bottom edge of the liner, the lining material shall be extended out to come over the pile fabric and stitched with raw edges turned in to form a 6 mm binding as shown in the drawing.

दे स चौ २२
आसुत निदेशक
Asst. Director
निदेशक निदेशक
State of Sindh
JSS 8415-09:2000
(Revision No.2)

5.1.3 Sewing - The gloves shall be assembled throughout with lock stitch regulated at not less than 27 stitches and not more than 42 stitches per dm for the leather and 36 stitches per dm for liner to the glove. All stitches shall be of even tension throughout and all loose ends securely fastened off.

6. DIMENSIONS

6.1 The dimensions of the gloves (outer and liner) shall conform to the details given in Appendix 'A' and 'B'.

7. WORKMANSHIP AND FINISH

7.1 In appearance, general workmanship and finish and in all other respects not noted or defined in this specification, the gloves shall conform to the standard pattern.

8. MARKING

8.1 Each pair of gloves prior to being offered for inspection, shall have a white cloth label of suitable size securely sewn on the inside over the 'cambric cotton' at the cuff, on which the manufacturer shall mark legibly and indelibly his name, initials or recognised trade mark, DS Cat Number, year of manufacture and size of glove (small, medium or large).

9. PRE-INSPECTION OF STORES/CONSIGNMENT

9.1 Manufacturer/contractor must satisfy themselves that the stores are in accordance with the terms of the contract and fully conform to the required specification, by carrying out a thorough pre-inspection of each lot before actually tendering the same for inspection to the Quality Assurance Officer nominated under the terms of the contract. A declaration by the contractor that a necessary pre-inspection has been carried out on the stores tendered, will be submitted alongwith the challan. The declaration will also indicate the methods followed in carrying out pre-inspection showing the features checked/tested and will have the test certificate attached to the challan/declaration.

JSS 8415-09:2000
(Revision No.2)

२६ सितंबर
आसि. डायरेक्टर
महामोहरण विभाग
Directorate of Standards
पुणे, महाराष्ट्र

9.2 If the Quality Assurance Officer finds that pre-inspection of the consignment as required above has not been carried out, the consignment is liable for rejection.

10. QUALITY ASSURANCE

10.1 On examination, the sample, taken from any portion of the consignment, shall conform to the requirements when tested in accordance with the methods mentioned against each in this specification.

11. SAMPLING

11.1 The suppliers shall arrange the units of the homogeneous lot in such a way that all the units are easily accessible to the Quality Assurance Officer to enable him to draw samples from any portion of the homogeneous lot.

11.2 Sampling of stores shall be done by adopting appropriate sampling method as per IS 4905 so that samples drawn as per respective column 2 of sampling plan given for assessing various quality requirements are truly representative of the lot.

11.3 Scale of Sampling

11.3.1 The number of sample units to be drawn for assessing the quality of the store, characteristicwise should be in accordance with the column 2 for dimensional/non-destructive/visual inspection, column 4 for detailed laboratory testing and column 6 for chemical and other time consuming testing parameters. Table alongwith necessary explanation is given below.

दसवीं

Att. Director
Director of

JSS 8415-09:2000
(Revision No.2)

TABLE

SAMPLING PLAN FOR GLOVES LEATHER WHITE LINED
Based on AQL of 4% (Authority ISO:2859)

Lots Size defined in terms of samples unit like No. of Boxes containing 40 pairs			Sampling Plan for GLOVES LEATHER WHITE LINED					
Boxes containing 40 pairs			Visual Parameters		Physical Parameters (for Non Destructive Parameters)		Chemical Parameters and other physical parameters*requiring long testing time (for laboratory tests)	
			Sam-ple Size	Accep-tance No.	Sam-ple Size	Accep-tance No.	Sample Size	Acceptance No.
1			2	3	4	5	6	7
Below	-	150	13	1	13	1	3	0
151	-	280	13	1	13	1	5	0
281	-	500	20	2	13	1	5	0
501	-	1200	32	5	20	2	5	0
1201	-	3200	50	5	32	3	13	1

*Time consuming physical parameters are

- (i) All physical & chemical tests of Leather material possible to be carried out on specimen's retrieved from the made up store.
- (ii) Constructional details (ends, picks, mass & weave) of fabric and web cotton.
- (iii) Composition (wool) in shirting Angola.
- (iv) Pile fabric-all parameters except B.S.
- (v) Hooks/loops fastener-all parameter except colour fastness.

JSS 8415-09:2000
(Revision No.2)

रक्षणीय
आवक विभाग
Asst. Director
आवक विभाग
Directorate of Stores
भारतीय नौसेना
कोलकाता

Note:-

- (i) Quality Assurance Officer will select sampling units randomly and select one ultimate item from each sampling unit i.e. one box so as to make desired sample size as given in column 2.
- (ii) Samples for laboratory testing will be drawn from the samples drawn as mentioned in column 2 only.
- (iii) For chemical parameters samples to be drawn at random as per IS 4905 from those samples drawn as per column 4.

12. CRITERIA FOR CONFORMITY

12.1 The Quality Assurance Officer shall first draw the samples for visual examination as per column 2 of the sampling plan and a quality assurance report will be prepared by him.

12.2 If found satisfactory on visual inspection, the Quality Assurance Officer shall draw samples for laboratory tests as per scale for physical parameters depending upon the level of quality assurance.

12.3 The samples for Chemical tests and Time consuming tests will form a part of samples drawn for physical laboratory tests.

12.4 The number of sample units to be sampled for laboratory testing should be a multiple of the number of characteristics/tests which cannot be carried out simultaneously on the same sample units.

13. WARRANTY

13.1 The stores supplied against this specification shall be deemed to bear the warranty of the contractor against defective design, material, workmanship and performance for a period of 12 months from the date of receipt of stores at consignee's depot. If during this period, the stores supplied are found to be so defective, the same shall be replaced immediately with the serviceable stores by the contractor at site free of any charges or cost.

४५४०२०२
 Asstt. Director
 उपनिरीक्षक
 उप निरीक्षक
 उप निरीक्षक

JSS 8415-09:2000:
 (Revision No.2)

14. PACKAGING

14.1 The following materials shall be used for the packing of Gloves, Leather, White, Lined:-

<u>Material</u>	<u>Conforming to</u>
i) Polyethylene film, 0.04 mm thick	IS 2508
ii) Double walled corrugated fibreboard boxes 7 ply (Outer liner shall be laminated with polyethylene film to provide water-proofness).	IS 2771(Part 1)
iii) Polypropylene strapping, 12 mm wide	JSS 8135-10
iv) Paper cuttings or Any other suitable cushioning material	Best trade quality to be approved by the Quality Assurance Officer
vi) Preservatives	IS 539

15.2 Method

15.2.1 The store shall be supplied in a new, clean, dry and sound condition and accepted store duly preserved shall be packed. Store of only one size shall be packed in the same package.

15.2.2 Each pair of gloves duly treated with preservative shall be placed in a polyethylene film bag of suitable size and then heat sealed. Forty (40) such individual pairs shall then be packed in box fibreboard rigid corrugated triple wall 7 ply of appropriate size. The boxes shall be lined with waterproof liner to avoid ingress of moisture. Empty space inside the box shall be filled with suitable cushioning material to avoid movement of the contents during transit.

द सचिव
सचिव (प्रमाणन)
सचिव, Directorate of Standardisation
JSS 8415-09:2000
(Revision No.2)

16. DEFENCE STORES CATALOGUE NUMBER

16.1 This specification shall govern manufacture/inspection of the following stores:

<u>DS CAT NO.</u>	<u>NOMENCLATURE</u>
8415-000 176	Gloves, Leather, White, Lined, Small (OBSOLESCE)
-000 177	" " " Medium
-000 178	" " " Large

17. SUGGESTIONS FOR IMPROVEMENT

17.1 Any suggestions for improvement in this document may be forwarded to:-

The Director,
Directorate of Standardisation,
Ministry of Defence,
'H' Block, DHQ PO,
New Delhi - 110 011.

MA 8415-09:2000
(Revision No.2)

SIZE SCALE FOR
GLOVES LEATHER WHITE, LINED-OUTER

25 चौड़ाई
TAKESHAK 'A'
Asst. Director
अधिकार विभाग
Directorate of Standards
नया दिल्ली, नई दिल्ली
अधिकार विभाग

Over	Width	Width of	Depth	Thumb	Index	Finger	Compartment for	Length of
all	across	cuff at	of	Over	Width	Depth	Width	the remaining
length	palm	Top	Bottom	cuff	all			strap at
		Edge	Edge	length				wrist
cm	cm	cm	cm	cm	cm	cm	cm	cm
2	3	4	5	6	7	8	9	10
11	12	13						
34.5	14.5	15.0	21.5	11	14	6.00	7.5	4.7
37.0	15.0	15.5	22.0	12	15	6.50	8.5	5.0
39.5	15.5	16.0	22.5	13	16	7.0	9.5	5.3
±0.5	±0.3	-	±0.3	-	±0.3	-	-	-
								±1.0

JSS 8415-09:2000

(Revision No.)

APPENDIX 'B'

SIZE SCALE FOR
GLOVES LEATHER WHITE, LINED - LINER


Slap	Over all length	Width palm	Width of cuff at Top Edge	Width of Bottom Edge	Depth of cuff length	Thumb Over all length	Index Finger Width Length on left hand only	Compartment for the remaining three fingers Length/Width
	CM	CM	CM	CM	CM	CM	CM	CM
1	2	3	4	5	6	7	8	9
SMALL	33-0	13.5	13.5	20.0	10.5	13.5	5.5	7
MEDIUM	35.3	14.0	14.0	20.5	11.5	14.5	6.0	8
LARGE	38.0	14.5	14.5	21.0	12.5	15.5	6.5	9
DIFFERENCE	+0.5	+0.3	+0.3	-	7.1	-	-	-

SECTION LL




FRONT VIEW


SECTION DD




SECTION BB




SECTION HH



OUTER (RIGHT HAND)



SECTION AA



DATE	NAME	DIMENSIONS IN MILLIMETRES
DGN		DS CAT. No. 8415-000 176 To 000 178
DRA		JSS No 8415-09
CHD		
RC	CHD	
CODE		

GLOVES, LEATHER, WHITE LINED

(OUTER)

DLE OF STANDARDISATION
MINISTRY OF DEFENCE
STRESS TO SUB COMMITTEE



APD
1
11/11/11

11/11/11

11/11/11 09:2000
Revision No. 2)

32/08 28.8.08

Ministry of Defence

JSS 8415-09:2000

Revision No. 2

(Reaffirmed 2008)

REAFFIRMED WITH THE MODIFICATIONS

1. On all pages :-

For JSS: 8415-09:2000
(Revision No 2)
Read JSS: 8415-09: 2000
(Revision No 2)
(Reaffirmed 2008)

प्रमुख निदेशक (संक.सं.सं.)
Asstt. Director (T.C.)
मानकीकरण निदेशालय
Directorate of Standardisation
रक्षा मंत्रालय, नई दिल्ली
Min. of Defence, New Delhi-11

2. Page 1, Para 0.5 and page 13, Para 17.1

For - DHQ PO,

Read - Nirman Bhavan PO,

3. Page 1 Para 0.6 :-

For - The Controller,
Controllerate of Quality Assurance (T&C)
Post Box No 294,
Kanpur - 208 001,

Read - The Director
Directorate of Standardisation
Ministry of Defence
'J' Block, Room No 5, Nirman Bhavan PO,
New Delhi - 110 011

4. Page 2, Sub clause 2.1 Reference is made in this specification to :-

- (a) IS 187:1978 - Specification for Cotton Long Cloth
(Second Revision)
Reaffirmed 2003
Amds 2
- (b) IS 539:1974 - Specification for Naphthalene
(Second Revision)
Reaffirmed 2005
Amd 1
- (c) IS 1095 : 1991 - Handloom cotton dress materials, bleached,
dyed, printed, striped or checked (superseding
IS 861:1983, IS1098:1957, IS 1240:1958 and
IS 1556:1960)
(First Revision)
Reaffirmed 2007
- (d) IS 1720 : 1978 - Specification for Cotton Sewing Threads
(First Revision)
Reaffirmed 2002
- (e) IS 2508 : 1984 - Specification for Low Density Polyethylene
Films Low density polyethylene
(Second Revision)
Reaffirmed 2003
Amds 2
- (f) IS 2771 (Part 1) - Corrugated Fibreboard Boxes -- Part 1 :
General Requirements
(Second Revision)
Reaffirmed 2002
Amds 2
- (g) 4905 : 1968 - Methods for random sampling
Reaffirmed 2006
Amd 1
- (h) IS 5866 : 1979 - Specification for Chrome Leather for High
Altitude Gloves Chrome leather.
(First Revision)
Reaffirmed 2003
Amd 1

Signature
प्रधान निदेशक (सकल)
Asstt. Director (T.C.)
मानकीकरण निदेशालय
Director General of Standardisation
एन.डी.ए.सी., नई दिल्ली
New Delhi

अहायक निदेशक (ताना व रंग)
Asstt. Director (T.C.)
मानकीकरण निदेशालय
Directorate of Standardisation
रक्षा मन्त्रालय, नई दिल्ली,
Ministry of Defence, New Delhi.

JSS 8415-09:2000
Revision No 2
(Reaffirmed 2008)

(j) IS 6488 : 1999 -	Cotton Webbing for Personal Web Equipment Specification (Third Revision) Reaffirmed 2004
(k) IS 8156 : 1994 -	Fasteners for consumer goods-synthetic hook and loop tape, specification (Third Revision) Reaffirmed 2004
(l) IS 8331 : 1993 -	Textiles -angola shirting (Second Revision) Amds 2
IND/GS/799 -	Liner waterproof bag
IND / TC / 0108-	Pile fabric (woven)
IND/TC/0321(h) -	Tape Cotton white, 6 mm
IND /TC/ 2284 (a)-	Press button (titch type), white
JSS 8135-10 : 2004-	Polypropylene strapping, 12 mm wide
CQA(GS)/US/460	Boxes fibre board rigid corrugated triple wall 7 ply

RAKSHA MANTRALAYA/ MINISTRY OF DEFENCE
AKIKARAN NIDESHALAYA/DTE OF STANDARDISATION
(STORES STANDARDISATION SUB COMMITTEE)

Amendment I

Dec. 2009

The following amendment is approved: -

No. of sheet : (One)

Authority: As shown in Col 4

JSS & Year	Nomenclature	/ Details of Amendment	Authority for Amendment
1	2	1	4
JSS 8415-09:2000 (RA 2008) C.R.V.N. 2)	Gloves, Leather, White, Lined	(i) Page 5 Sub clause 4.1.2 under heading Liner, Sr (iii) as under:- <u>For</u> <u>Read</u> Existing Gussets And Left Index Finger Shirting Angola Drab Type I or II	S / 7497 / TC-13 dt 17 Sep 2009

